Google™
Patent Search BETA

displaying hierarchical parent child class prope   **Search Patents**   Advanced Patent Sea
Google Patent Search

Patents
Patents **1 - 10** on **displaying hierarchical parent child class property**. (**0.25** seconds)

Modeling of object-oriented database structures, translation to relational database structures ...
US Pat. 6374252 - Filed Oct 16, 1997 - i2 Technologies US, Inc.
20 with zero or more objects of **class Class Property** ... a directed acyclic graph)
like the **parent/child** other user 201 of the system 200 is allowed to ...

Interactive method of developing software interfaces
US Pat. 5041992 - Filed Oct 24, 1988 - University of Pittsburgh
A **class** can be referred to as a subclass or a **child** 15 bit maps A popular too]
... be named "Object" having-no **parent class** and no Xerox Corporation 1983. ...

Hierarchical inter-panel process flow control
US Pat. 5237654 - Filed Apr 17, 1990 - International Business Machines Corporation
2 illustrates an object **class** referred to as Em- It is a further object ...
class 22 are the List its **child** panels or is passed back to its **parent** panel for ...

Method and apparatus for configuring systems
US Pat. 5515524 - Filed Mar 29, 1993 - Trilogy Development Group
A **child** in a product line hierarchy inherits from the **parent**, ... and the **child**
class exhibits all of the properties of the **parent** 40 data transfer ...

System and method for associating properties with objects
US Pat. 7055132 - Filed Jun 28, 2002 - Microsoft Corporation
The **child class** inherits information from the **class** associated with the upper
branch (ie, the **parent class**). When two branches are at the same level, ...

Data processor controlled display with a tree of items with modification of **child** item ...
US Pat. 6115044 - Filed Mar 31, 1998 - International Business Machines Corporation
In recent years, the **hierarchical** tree has been a widely used expedient for helping
... **Parent** items at one level have **child** items at the next lower level. ...

Data processor controlled interface with multiple tree of elements views expandable into ...
US Pat. 6281896 - Filed Mar 31, 1998 - International Business Machines Corporation
It should also be noted that the tree **hierarchical** structure is one of the ...
of **child** objects in subclasses of **parent** object classes wherein the **child** ...

Dynamic **property** sheet system
US Pat. 5949417 - Filed Jan 31, 1997 - The Foxboro Company
9A-9C illustrate **parent-child** relationships of particular object classes depicted
... **property** pages in one visual context, that is, FIG. is a **hierarchical** ...

Consolidation of multiple source content schemas into a single target content schema
US Pat. 6785689 - Filed Dec 5, 2001 - i2 Technologies US, Inc.
Schema mapper 106 may use **hierarchical parent- child** relationships set up in ...
to the corresponding reference schema **class** and/or **property**, respectively. ...

Taxonomy of objects and a system of non-modal **property** inspectors
US Pat. 6317142 - Filed Apr 3, 1998 - Avid Technology, Inc.
By replacing the brush (**child**) with a stored preset (stored using the persistence
... a user interface for **displaying** said **hierarchical** organization of ...

Goooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9   **Next**

| displaying hierarchical parent child class prop | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

Google™
Patent Search 🔍 BETA

displaying hierarchical parent child class prope | **Search Patents** |

Patents

Patents **11 - 20** on **displaying hierarchical parent child class property**. (**0.18** seconds)

Method and system for implementing software objects
US Pat. 5978582 - Filed Oct 9, 1998
When an attempt is made to set the value of a **property** in a **child**, the system
can let the value be set, thereby removing the link to the **parent property ...**

Method and apparatus for configuring systems
US Pat. 6002854 - Filed Mar 10, 1997 - Trilogy Developmetn Group, Inc.
That is, one **class** of objects acts as the **parent** of ties of the **parent ...**
and the **child class** exhibits all of the proper- 45 The display status indudes me ...

Data processor controlled display interface with tree hierarchy of elements view expandable into ...
US Pat. 6151024 - Filed Mar 31, 1998 - International Business Machines Corporation
It is to the detailing of such relationships between **parent** and **child** objects
... child objects inherit many but not all of the **parent class** attributes and, ...

Inheritance of background color in a containment hierarchy of objects in a graphical user interface
US Pat. 6918093 - Filed May 31, 2001 - International Business Machines Corp.
Importantly, the **parent** object can define a **class**, and the **child** object can
inherit the 65 **class** (properties and methods) of the **parent** object. ...

Concurrent engineering design tool and method
US Pat. 5822206 - Filed Aug 30, 1996 - The Trustees of the Stevens Institute of Technology
Each of these **parent** objects can be regarded as being composed of a hierarchy of
offspring objects that represent some functional **class** of behavior that ...

Development system with application browser user interface
US Pat. 6247020 - Filed Dec 17, 1997 - Borland Software Corporation
Continuing with the example, upon the user double- clicking Frame at 721, the
system "drills down" another level into the Frame **parent class** of ...

Server for serving stored information to client web browser using text and raster images
US Pat. 6161107 - Filed Oct 31, 1997 - Iota Industries Ltd.
Overall, the classes are placed within a **hierarchical** structure, in which each
child class inherits the properties of the **parent class**. ...

Data processor controlled display system with a tree hierarchy of elements view having virtual nodes
US Pat. 6111579 - Filed Mar 31, 1998 - International Business Machines Corporation
The virtual ele- interfaces which are relatively easy to use. In recent years,
ment or object usually has **child** objects respectively asso- the **hierarchical ...**

### Hyperlinked relational database visualization system

US Pat. 6282547 - Filed Aug 25, 1998 - Informix Software, Inc.
Objects displayed underneath other objects are called **child** objects, and their
owners are called **parent** or composite objects. Certain items in the tree may ...

Concurrent engineering design tool and method
US Pat. RE36602 - Filed Jun 26, 1997 - The Trustees of the Stevens Institute of Technology
According to the present invention, this knowledge is arranged in a **hierarchical**
fashion. There are four **parent** objects: the material (eg, polymer resin or ...

◀ Gooooooooogle ▶

| displaying hierarchical parent child class prop | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

Google™
Patent Search ◯ BETA

displaying hierarchical parent child class prope   Search Patents   Advanced Patent Sea
Google Patent Search

Patents

Patents **21 - 30** on **displaying hierarchical parent child class property**. (0.03 seconds)

Integrating relational databases in an object oriented environment
US Pat. 5937409 - Filed Jul 25, 1997 - Oracle Corporation
19 each **class** member, which the **class** type supports, to a **class** types based on the
... If the relational **child** objects to **parent** table objects. ...

Method, system, and program for selecting devices to use to execute selected tasks in a ...
US Pat. 6965390 - Filed May 24, 2001 - International Business Machines Corporation
It should also be noted that the tree **hierarchical** structure is one of the ...
of **child** objects in subclasses of **parent** object classes wherein the **child** ...

Restricted access model for **hierarchical** data structures
US Pat. 7171412 - Filed Oct 7, 2002 - Sun Microsystems, Inc.
The **child** reader-to-**parent** reader link () may be implemented as a reference or
pointer that is a **property** of an instantiated **child** reader object. ...

System and process for manipulating and viewing **hierarchical** iconic containers
US Pat. 6208344 - Filed Jul 29, 1998 - NCR Corporation
6 is a process flow chart depicting how icons become re-positioned on the graphical
user interface and come to represent **parent-child** relationships between ...

Method and system for implementing software objects
US Pat. 6480856 - Filed Jul 2, 1999 - Microsoft Corporation
When an attempt is made to set the value of a **property** in a **child**, ... the resulting
problems using **parent class** recording, declarative inheritance, ...

Standardized interface between Java virtual machine classes and a host operating environment
US Pat. 6865733 - Filed Jun 21, 2001 - International Business Machines Corp.
For example, a software program for **parent class**, and pass them on to their children.
Child classes managing the inventory of a hardware store might contain ...

System and methods for improved spreadsheet interface with user-familiar objects
US Pat. 5416895 - Filed Apr 8, 1992 - Borland International, Inc.
Window 160 is spondence between a **parent** object and a **child** object, ... 160 includes
a client area 180 for **displaying** and manip- ulating screen objects, ...

System and methods for building spreadsheet applications
US Pat. 5883623 - Filed Apr 21, 1997 - Borland International, Inc.
10B is a block diagram illustrating the correspondence between a **parent** object
and a **child** object, and their respective **property** lists. FIG. ...

Java classes comprising an application program interface for platform integration derived from a ...
US Pat. 6789254 - Filed Jun 21, 2001 - International Business Machines Corp.

For example, a software program for **parent class**, and pass them on to their children.
Child classes managing the inventory of a hardware store might contain ...

<u>System for assembling large databases through information extracted from text sources</u>
US Pat. 6052693 - Filed Jul 2, 1996 - Harlequin Group Plc
Returns a node pointer depending on the direction parameter as follows: **CHILD**—the
first **child** of this node. **PARENT**—the **parent** of this node. ...

◀ Gooooooooogle ▶

Result Page: **Previous** 1 2 **3** 4 5 6 7 8 9   **Next**

| displaying hierarchical parent child class prop | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

Google™
Patent Search ○ ʙᴇᴛᴀ

displaying hierarchical parent child class prope

Search Patents

Patents

Patents **31 - 40** on **displaying hierarchical parent child class property**. **(0.03** seconds)

System and methods for building spreadsheet applications
US Pat. 5623591 - Filed Sep 10, 1993 - Borland International, Inc.
10B is a block diagram illustrating the correspondence between a **parent** object
and a **child** object, and their respective **property** lists. FIG. ...

Self configuring device system
US Pat. 5555401 - Filed Nov 22, 1995 - Sun Microsystems, Inc.
The **hierarchical** relationship between **parent** and **child** ... An entry 66 contains
a name 67, a **parent** 68 or **class** 69, and a set of attribute/value pairs 70 ...

Method and apparatus for creating executable code for object-oriented objects having finite ...
US Pat. 5920718 - Filed Mar 21, 1997 - The Boeing Company
Inheritance is the passing of **class** resources or attributes from a **parent class**
downstream in a **class** hierarchy to a **child class**. ...

Dynamic object visualization and code generation
US Pat. 6263339 - Filed Aug 25, 1998 - Informix Software, Inc.
by setting a "Visibility" **property** to a conditional expression such as If(...
child objects, and their owners are called **parent** or composite objects. ...

Metaphor environment control system
US Pat. 5404440 - Filed Jul 10, 1992 - Institute for Personalized Information Environment
Each metaphor incorporates the **child** objects of the part-of hierarchy as ...
it incorporates the **parent** object of the is-a hierarchy as a **class** object. ...

Program creation apparatus for reactive systems
US Pat. 5794040 - Filed Nov 10, 1995 - International Business Machines Corporation
One example of defining methods for every **hierarchical class** is shown in the ...
for searching for an operation to handle data to a **parent** operation, ...

System and methods for improved spreadsheet interface with user-familiar objects
US Pat. 5502805 - Filed Jun 16, 1993 - Borland International, Inc.
10B is a block diagram illustrating the correspondence between a **parent** object
and a **child** object, and their respective **property** lists. FIG. ...

Systems and methods for managing interaction with a presentation of a tree structure in a ...
US Pat. 6826443 - Filed Nov 29, 2001 - Agilent Technologies, Inc.
60 A tree-view control is a window that displays a **hierarchical** list of items,
... An item that has one or more **child** items is called a **parent** item. ...

Framework for applying operations to nodes of an object model
US Pat. 6973460 - Filed Nov 26, 2002 - Microsoft Corporation
Container hierarchy information relates to speci- 5 fying a **parent** container in
which a **child** object lives. This information may be used for generating ...

Configuring systems for generating business transaction reports using processing relationships ...
US Pat. 6925468 - Filed Oct 27, 2000 - Computer Sciences Corporation
Auser may create an instance of the **class** to create, for example, ... The **parent/child** or a precedent/ descendent relationship may be defined in one ...

| displaying hierarchical parent child class prop | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

Google™

Patent Search ○ ᴮᴱᵀᴬ

displaying hierarchical parent child class prope

Search Patents

Patents

Patents **41 - 50** on **displaying hierarchical parent child class property**. (**0.04** seconds)

Application response monitor
US Pat. 7072800 - Filed Sep 19, 2003 - Computer Associates Think, Inc.
Application name 100A is a **property** of a GUI object as it exists natively ...
Within the scope of a given **parent** window, each **child** window is uniquely ...

Method and system for interfacing with a multi-level data structure
US Pat. 7120646 - Filed Apr 9, 2001 - Health Language, Inc.
Since most terminology standards utilize a **hierarchical**, or taxonomic structure,
the present invention comes with a **parent/child** relation already defined. ...

Graphic user interface for internet telephony application
US Pat. 6009469 - Filed Sep 25, 1996 - NetSpeak Corporation
ISA illustrates the **hierarchical** relationship between objects within the webphone.
... 1802 must verify the change with its **parent** 65 object. ...

System supporting animation of graphical display elements through animation object instances
US Pat. 7173623 - Filed May 9, 2003 - Microsoft Corporation
lines) arranged in a **hierarchical** manner. The relationship between timing nodes is
... of 10 **child** timelines through an action on a single **parent** timeline. ...

Automated three-dimensional alternative position viewer
US Pat. 6906712 - Filed Aug 8, 2001 - SolidWorks Corporation
This ordering of **parent** and **child** objects enables isometric view of the model
... **class** 1108 **property** that specifies a plane that slices the model at a is ...

System and methods for improved spreadsheet interface with user-familiar objects
US Pat. 5664127 - Filed Feb 28, 1996 - Borland International, Inc.
Therefore, the description of the exemplary embodi- **property** inspection. ments which
... a **parent** object and a **child** object, and their Referring now to FIG. ...

Collaborative context information management system
US Pat. 6917938 - Filed May 6, 2002 - IdeaPivot Corporation
... a **child** data 5 element based on **parent-child hierarchical** relationships. ...
not **displaying** properties that are not appropriate to the user's context. ...

Method and apparatus for configuring systems
US Pat. 7043407 - Filed Oct 7, 1999 - Trilogy Development Group, Inc.
The Product Base may also contain **Hierarchical** Product - Lines. ... one **class** of
objects acts as the **parent** of another **class**, and , „ , · , „ ,, , ...

Hierarchical syntax for satellite command and control directives
US Pat. 6772140 - Filed Nov 1, 1999 - Harris-Exigent, Inc.
Within this scheme, files are associated with **parent** sub-directories which ...
The method can further comprise the step of **displaying** in a graphical user ...

Complex data navigation, manipulation and presentation support for visualage Java
US Pat. 6938260 - Filed Jul 14, 2000 - International Business Machines Corporation
... for the current **class**; the designer can then select the subobject **class**, ...
hierarchy of objects to define **parent** and **child** objects such that **child** ...

| displaying hierarchical parent child class prop | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

Google™
Patent Search ◯ BETA

displaying hierarchical parent child class prope | Search Patents | Advanced Patent Sea
Google Patent Search

Patents

Patents **51 - 60** on **displaying hierarchical parent child class property**. (0.03 seconds)

Specification of the hierarchy, connectivity, and graphical representation of a circuit design
US Pat. 7003751 - Filed Jan 10, 2003 - Xilinx Inc.
The hierarchy attributes define **parent-child** rela- tionships between ... along with
graphics characteristics used in **displaying** blocks of the design. ...

Dynamic conversion of object-oriented programs to tag-based procedural code
US Pat. 6504554 - Filed Sep 1, 1998 - Microsoft Corporation
Windows Foundation Classes (WFC) are a set of Java **class** libraries that enable
software developers ... Base container 808 allows **parent-child** relationships. ...

Hierarchical encapsulation of instantiated objects in a multimedia authoring system ...
US Pat. 5680619 - Filed Apr 3, 1995 - mFactory, Inc.
If the **child** object in turn contains another "**Hierarchical** Encapsulation," results
in a significant degree object, the **child** object is considered the **parent** ...

Dynamic object properties
US Pat. 6915301 - Filed Aug 25, 1998 - International Business Machines Corporation
Each panel in turn presents a set of buttons, for **displaying** categories of ...
child objects, and their owners are called **parent** or composite objects. ...

Visible-object determination for interactive visualization
US Pat. 6300965 - Filed Feb 9, 1999 - Sun Microsystems, Inc.
The ability to nest cones into a **hierarchical** structure allows a very rapid ...
The **parent-child** relation of 16 nodes in the cone tree reflects the ...

Methods and apparatus for representing resources in a computing system environment
US Pat. 7032186 - Filed Sep 28, 2001 - EMC Corporation
4 illustrates an example of an object data structure 302 (eg, a **class** definition
... To provide for such other representations, **parent** object indicators 312 ...

System and method to provide secure navigation to resources on the internet
US Pat. 6381579 - Filed Jun 17, 1999 - International Business Machines Corporation
The name of the **class** is saved in the resource object document, providing a
connection between the object 60 and its **parent class** document. ...

Configurable user-interface component management system
US Pat. 6944829 - Filed Sep 25, 2001 - Wind River Systems, Inc.
Exemplary layouts include tabbed and tiled layouts that arrange **child** components
... any component may be moved to a different location within its **parent**, ...

### Flow designer for establishing and maintaining assignment and strategy process maps
US Pat. 6970844 - Filed Aug 25, 2000 - Computer Sciences Corporation
For example, if a **parent** object includes a "Name" **property** set to "Main Office"
and a "City" **property** set to "New York," a **child** object of the **parent** object ...

Automated mirroring of components

US Pat. 6844877 - Filed Nov 5, 2001 - SolidWorks Corporation

The **hierarchical** data structure 1100 includes nodes arranged in **parent-child** relationships that identify model components and contain rela- 55 tionships ...

◀ Goooooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7 8 9   **Next**

| displaying hierarchical parent child class prop | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

Google™
Patent Search ◯ ฿ETA

displaying hierarchical parent child selecting fii   Search Patents | Advanced Patent Seai
Google Patent Search

Patents Patents 1 - 10 on **displaying hierarchical parent child selecting first second area**. (0.31 seconds)

Geometry processor for graphics display system
US Pat. 4862392 - Filed Mar 7, 1986 - Star Technologies, Inc.
A feature of one type of **hierarchical** graphic data base is that attribute information,
... The **child** segment of a **parent** or sibling) identified by the **first** ...

Document rearrangement system
US Pat. 4601003 - Filed Nov 22, 1983 - Tokyo Shibaura Denki Kabushiki Kaisha
... pattern representing **parent** pictorial items in the **hierarchical** filing 5 ...
first display means for **displaying** the document image information, **second** ...

Method and apparatus for **displaying** and tree scrolling a **hierarchical** data structure
US Pat. 6380947 - Filed Dec 16, 1999 - AT&T Corp.
A method for **displaying hierarchical** data, the method comprising: ... node of
the plurality of **parent** nodes in a **second** display **area**, each displayed **child** ...

Methods of centering nodes in a **hierarchical** display
US Pat. 5333254 - Filed Oct 2, 1991 - Xerox Corporation
In response to the user request, **second** image 12 is continuation" of a **first**
display feature if it is perceptible **parent** node 4,, and **child** nodes 42 44 and ...

System and method for **selecting** symbols and **displaying** their graphics objects in a detail window
US Pat. 5504853 - Filed Aug 21, 1992 - International Business Machines Corporation
In an overview window at all times, all of the **child** figures of a **parent** figure
or all of the figures in an **area** are displayed in symbol form. ...

Method and apparatus for implementing a **hierarchical** database management system (HDBMS) using a ...
US Pat. 5974407 - Filed Sep 29, 1997
The **first hierarchical** family with root (1D-10) has six descendents of the
root (1D-12) and the **second hierarchical** family has a root ...

Displaying a complex tree structure among multiple windows
US Pat. 6421072 - Filed Jun 3, 1999 - International Business Machines Corporation
5, if the user then selected "Merge Back to **Parent**" after **selecting** node C ...
of nodes within the **first** tree structure: **displaying** a **second** tree structure ...

Method and apparatus for a layout of a document image
US Pat. 5555362 - Filed Jul 26, 1995 - International Business Machines Corporation
45 Items showing a **hierarchical** structure (eg Nest., Name, and Dir.) among the
above items judge the **parent-child** relation with the analyzed tree structure ...

System, method and article of manufacture for **displaying** an animated, realtime updated control ...

US Pat. 6157864 - Filed May 8, 1998 - Rockwell Technologies, LLC
The tree section 3049 provides an **area** wherein the editor ... the machine module
reference and indented to show a **hierarchical parent-child** relationship. ...

Computer screen and memory organization enabling presentation of a tree
US Pat. 5606654 - Filed Dec 21, 1993 - International Business Machines Corporation
In a preferred embodiment, the **first** part of the display screen is the part ...
Part of the remaining **parent area** 110 is then divided into **child** areas-d as ...

Goooooogle ▶

Result Page: 1 2 3 4 5 6 7   **Next**

| displaying hierarchical parent child selecting 1   Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

©2007 Google

Google™
Patent Search ◯ BETA

displaying hierarchical parent child selecting fii   Search Patents | Advanced Patent Seai
                                                                            Google Patent Search

Patents Patents **11 - 20** on **displaying hierarchical parent child selecting first second area**. (0.03 second:

Method for placing logic functions and cells in a logic design using floor planning by analogy ...
US Pat. 5696693 - Filed Mar 31, 1995 - Unisys Corporation
The **first** set of nodes is compared to the **second** set of nodes (the "target" ...
In the preferred embodiment, EMBODIMENT **parent-child** relationships of each ...

Method and system for dynamically sharing user interface displays among a plurality of ...
US Pat. 5596702 - Filed Apr 16, 1993 - International Business Machines Corporation
As stated previously the UIS utilizes a **hierarchical** organization of components
in the working memory **area**. It is this logical **hierarchical** organization of ...

Video browser data magnifier
US Pat. 7073128 - Filed Jan 26, 2001 - Canon Kabushiki Kaisha
The method of claim 1, wherein in the **parent**-only mode, said **displaying** step ...
for **selecting** a **parent** level and for **displaying**, in a **first** display **area**, ...

Synchronized spatial-temporal browsing of images for assessment of content
US Pat. 6515656 - Filed Apr 30, 1999 - Verizon Laboratories Inc.
A method of **selecting** items to purchase in electronic commerce comprising:
presenting a **hierarchical** description of items for sale in an outline **area**; ...

Electronic dictionary
US Pat. 4912671 - Filed Aug 5, 1987 - Hirode Miwa
In the input mode, "READY" is displayed on the input display **area** 14. ... When the
second correlated word F2 is displayed on the **first** line ously depressed, ...

Method and apparatus for **displaying** literary and linguistic information about words
US Pat. 6918097 - Filed Oct 9, 2001 - Xerox Corporation
The layout data indicates a **parent** position for **parent** nodes and, ... based on
the **first** request, the **hierarchical** addresses representing a layout of said ...

Fly-through computer aided design method and apparatus
US Pat. 5999187 - Filed Jun 27, 1997 - Resolution Technologies, Inc.
25 After the **first** portion 312 has been completed, the system 35 is prepared to
begin **displaying** in a fly-through interactive three-dimensional fashion 314. ...

Page analysis system
US Pat. 5987171 - Filed Nov 10, 1994 - Canon Kabushiki Kaisha
65 **Child** nodes are depicted in the **hierarchical** tree structure as a node branching
... The system includes a **first** memory **area** utilized for receiving and ...

System and method for maintaining a knowledge base and evidence set
US Pat. 6256627 - Filed Jun 23, 1998 - AT&T Corp.
The **first** query takes advantage of the **parent- child** relationship between topics,
subtopics, and evidences. The **second** query relaxes a query restriction— in ...

Method and apparatus for **selecting** network entities
US Pat. 6633312 - Filed Oct 19, 1999 - Nortel Networks Limited
In this layer cake display **area** 207, the network features are preferably ...
Alternatively, this storage either only includes the **first** and **second** sets of ...

◀ Goooooogle ▶

Result Page: **Previous** 1 2 3 4 5 6 7   **Next**

displaying hierarchical parent child selecting | Search Patents

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

Google™
Patent Search ○ BETA

| displaying hierarchical parent child selecting fii | Search Patents | Advanced Patent Seai
Google Patent Search |

Patents Patents **21 - 30** on **displaying hierarchical parent child selecting first second area**. (0.03 second:

Method and device for finding, collecting and acting upon units of information
US Pat. 6583800 - Filed Jul 14, 1999
The interface of claim 52, wherein said content **area** is divided into one or ...
and a context **area** for **displaying** a unit of information which is **parent** to ...

System and method to display and manage data within hierarchies and polyarchies of information
US Pat. 6859217 - Filed Nov 29, 2000 - Microsoft Corporation
In response to **selecting** the **second** intersecting hierarchy, the object is ...
the **first hierarchical** structure is changed to a **second hierarchical** structure ...

System for designating document direction
US Pat. 6014458 - Filed Aug 27, 1996 - Canon Kabushiki Kaisha
Child nodes are depicted in the **hierarchical** tree structure as a node ...
the memory space allocated in the **first** memory **area**, and outputting a **second** error ...

Display and control of menus with radial and linear portions
US Pat. 5926178 - Filed Apr 1, 1997 - Silicon Graphics, Inc.
First, the user must pause to display the menu before **selecting** an item ...
art this would mean that all menu selections (either by **displaying** a menu or by ...

Method for editing image information with aid of computer and editing system
US Pat. 6154601 - Filed Nov 14, 1997 - Hitachi Denshi Kabushiki Kaisha
Values "1" and "2" are registered in the **area** of the **CHILD** SCENE NUMBERS 1 and 2.
... 1 is **first** obtained by **selecting** an icon 610 or 611 representing the ...

Method and apparatus for **displaying** and header scrolling a **hierarchical** data structure
US Pat. 6738787 - Filed Mar 29, 2002 - AT&T Corp.
Hierarchical data 623 can be a document corresponding to a particular application
... using a tree data structure including a set of **parent** and **child** nodes. ...

Method and apparatus for **displaying** and header scrolling a **hierarchical** data structure
US Pat. 6430574 - Filed Dec 16, 1999 - AT&T Corp.
The subordinate data descriptor 730 instance of the **parent** node object contains
a set of pointers includes a **first** dynamic display portion 731 and a **second** ...

Method and apparatus for generating reports using declarative tools
US Pat. 5809266 - Filed Jan 21, 1997 - Oracle Corporation
The painting region 206 is the **area** in which objects can be created, modified,
... Order can be used to specify which group to evaluate **first, second**, etc. ...

Creating and saving multi-frame web pages
US Pat. 6266684 - Filed Aug 6, 1997 - Adobe Systems Incorporated
A new border 66 is created for the **second** frame 64 to encompass the **area** ...

of **parent** and **child** objects, each of which represents one of the frames. **...**

Data input display system for preparing and editing structural data
US Pat. 5572642 - Filed May 3, 1994 - Baba Laboratory Inc.
This is the **second** propagation which 5 proceeds automatically and irrespectively
... and **selecting** and **displaying** on said display screen only those graphic **...**

◀ Gooooooogle ▶

Result Page: **Previous** 1 2 **3** 4 5 6 7   **Next**

| displaying hierarchical parent child selecting 1 | Search Patents |

Google Patent Search Help | Advanced Patent Search

Google Home - About Google - About Google Patent Search

IEEE *Xplore*
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ **Search Results**

BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((hierarchical<in>metadata) <and> (nodes<in>metadata))<and> (display..."   ☑ e-mail
Your search matched **6** of **1589326** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((hierarchical<in>metadata) <and> (nodes<in>metadata))<and> (display<in>me | Search |

Γ Check to search only within this results set

Display Format: ⦿ Citation   ⦾ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

| view selected items | Select All Deselect All

Γ 1. **Displaying dependence graphs: a hierarchical approach**
Balmas, F.;
Reverse Engineering, 2001. Proceedings. Eighth Working Conference on
2-5 Oct. 2001 Page(s):261 - 270
Digital Object Identifier 10.1109/WCRE.2001.957830

AbstractPlus | Full Text: PDF(872 KB)   IEEE CNF
Rights and Permissions

Γ 2. **Reconfigurable disc trees for visualizing large hierarchical information s|**
Chang-Sung Jeong; Pang, A.;
Information Visualization, 1998. Proceedings. IEEE Symposium on
19-20 Oct. 1998 Page(s):19 - 25, 149
Digital Object Identifier 10.1109/INFVIS.1998.729555

AbstractPlus | Full Text: PDF(6312 KB)   IEEE CNF
Rights and Permissions

Γ 3. **Tree-maps: a space-filling approach to the visualization of hierarchical in structures**
Johnson, B.; Shneiderman, B.;
Visualization, 1991. Visualization '91, Proceedings., IEEE Conference on
22-25 Oct. 1991 Page(s):284 - 291
Digital Object Identifier 10.1109/VISUAL.1991.175815

AbstractPlus | Full Text: PDF(952 KB)   IEEE CNF
Rights and Permissions

Γ 4. **A behavioral layer architecture for telecollaborative virtual manufacturing**
Banerjee, A.; Banerjee, P.; DeFanti, T.; Hudson, A.; Dodds, B.; Curtis, J.R.;
Robotics and Automation, IEEE Transactions on
Volume 16, Issue 3, June 2000 Page(s):218 - 227
Digital Object Identifier 10.1109/70.850640

AbstractPlus | References | Full Text: PDF(264 KB)   IEEE JNL
Rights and Permissions

Γ 5. **POP: a hybrid point and polygon rendering system for large data**
Baoquan Chen; Minh Xuan Nguyen;
Visualization, 2001. VIS '01. Proceedings
21-26 Oct. 2001 Page(s):45 - 540

AbstractPlus | Full Text: <u>PDF</u>(1028 KB)   IEEE CNF
<u>Rights and Permissions</u>

6. **Hierarchical and parallelizable direct volume rendering for irregular and r**
Wilhelms, J.; Van Gelder, A.; Tarantino, P.; Gibbs, J.;
<u>Visualization '96. Proceedings.</u>
27 Oct.-1 Nov. 1996 Page(s):57 - 63, 467
Digital Object Identifier 10.1109/VISUAL.1996.567606

AbstractPlus | Full Text: <u>PDF</u>(1024 KB)   IEEE CNF
<u>Rights and Permissions</u>

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ **Search Results**   **BROWSE**   **SEARCH**   **IEEE XPLORE GUIDE**

Results for "(((hierarchical<in>metadata) <and> (properties<in>metadata))<and> (ro..."   ☑ e-mail
Your search matched **1** of **1589326** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

<u>View Session History</u>   **Modify Search**

<u>New Search</u>   (((hierarchical<in>metadata) <and> (properties<in>metadata))<and> (root<in>m┊   **Search**

                                             ☐ Check to search only within this results set

» Key   **Display Format:** ⦿ Citation ○ Citation & Abstract

IEEE JNL IEEE Journal or
              Magazine   ⌐ **view selected items**   <u>Select All</u> <u>Deselect All</u>

IET JNL   IET Journal or Magazine

IEEE CNF IEEE Conference   ☐   1. **Efficient fair queueing for ATM networks using uniform round robin**
              Proceeding   Matsurfuru, N.; Aibara, R.;
IET CNF   IET Conference   <u>INFOCOM '99. Eighteenth Annual Joint Conference of the IEEE Computer and</u>
              Proceeding   <u>Societies. Proceedings. IEEE</u>
                                                      Volume 1, 21-25 March 1999 Page(s):389 - 397 vol.1
IEEE STD IEEE Standard   Digital Object Identifier 10.1109/INFCOM.1999.749306

                                                      <u>AbstractPlus</u> | Full Text: <u>PDF</u>(860 KB)   **IEEE CNF**
                                                      <u>Rights and Permissions</u>

                                                                                    Help   Contact Us   Privacy & ·

IEEE *Xplore*®
RELEASE 2.3

Welcome United States Patent and Trademark Office

☐ **Search Results**   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((inheriting<in>metadata) <and> (root<in>metadata))<and> (class<i..."   ✉e-mail
Your search matched **3** of **1589326** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History   **Modify Search**

New Search   (((inheriting<in>metadata) <and> (root<in>metadata))<and> (class<in>metadata | Search |

                    ☐ Check to search only within this results set

» Key   Display Format: ⦿ Citation   ⦿ Citation & Abstract

IEEE JNL   IEEE Journal or
                Magazine
                                    ⤶| view selected items | Select All Deselect All
IET JNL   IET Journal or Magazine

IEEE CNF   IEEE Conference   ☐   **1. Towards a statistical approach to testing object-oriented programs**
                Proceeding   Thevenod-Fosse, P.; Waeselynck, H.;
IET CNF   IET Conference   Fault-Tolerant Computing, 1997. FTCS-27. Digest of Papers., Twenty-Seventh
                Proceeding   International Symposium on
IEEE STD   IEEE Standard   24-27 June 1997 Page(s):99 - 108
                                                    Digital Object Identifier 10.1109/FTCS.1997.614082

                                                    AbstractPlus | Full Text: PDF(1028 KB)   IEEE CNF
                                                    Rights and Permissions

                                    ☐   **2. Explicit reference counts**
                                                    Martin, J.J.;
                                                    Southeastcon '96. 'Bringing Together Education, Science and Technology'., Pr
                                                    IEEE
                                                    11-14 April 1996 Page(s):707 - 710
                                                    Digital Object Identifier 10.1109/SECON.1996.510164

                                                    AbstractPlus | Full Text: PDF(384 KB)   IEEE CNF
                                                    Rights and Permissions

                                    ☐   **3. Providing orthogonal persistence to C++ using forced inheritance**
                                                    Chong-Mok Park; Kyu-Young Whang; Il-Yeol Song; Navathe, S.;
                                                    Computer Software and Applications Conference, 1994. COMPSAC 94. Proce
                                                    Eighteenth Annual International
                                                    9-11 Nov. 1994 Page(s):64 - 70
                                                    Digital Object Identifier 10.1109/CMPSAC.1994.342830

                                                    AbstractPlus | Full Text: PDF(684 KB)   IEEE CNF
                                                    Rights and Permissions

                                                                        Help   Contact Us   Privacy & ·

IEEE *Xplore* ®
RELEASE 2.3

Welcome United States Patent and Trademark Office

□ Search Results ' BROWSE SEARCH IEEE XPLORE GUIDE

Results for "((((parent<in>metadata) <and> (child<in>metadata))<and> (root<in>..." ✉ e-mail
Your search matched **7** of **1589326** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

» Key

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

Modify Search

((((parent<in>metadata) <and> (child<in>metadata))<and> (root<in>metadata))) **Search**

Γ Check to search only within this results set

Display Format: ⦿ Citation ⦾ Citation & Abstract

view selected items Select All Deselect All

Γ 1. **Probabilistic multiscale image segmentation**
Vincken, K.L.; Koster, A.S.E.; Viergever, M.A.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 19, Issue 2, Feb. 1997 Page(s):109 - 120
Digital Object Identifier 10.1109/34.574787

AbstractPlus | References | Full Text: PDF(2688 KB) IEEE JNL
Rights and Permissions

Γ 2. **Statistical models for term compression**
Cheney, J.;
Data Compression Conference, 2000. Proceedings. DCC 2000
28-30 March 2000 Page(s):550
Digital Object Identifier 10.1109/DCC.2000.838197

AbstractPlus | Full Text: PDF(24 KB) IEEE CNF
Rights and Permissions

Γ 3. **Succinct representation of balanced parentheses, static trees and planar**
Munro, J.I.; Raman, V.;
Foundations of Computer Science, 1997. Proceedings., 38th Annual Symposiu
20-22 Oct. 1997 Page(s):118 - 126
Digital Object Identifier 10.1109/SFCS.1997.646100

AbstractPlus | Full Text: PDF(868 KB) IEEE CNF
Rights and Permissions

Γ 4. **On generalized fat trees**
Ohring, S.R.; Ibel, M.; Das, S.K.; Kumar, M.J.;
Parallel Processing Symposium, 1995. Proceedings., 9th International
25-28 April 1995 Page(s):37 - 44
Digital Object Identifier 10.1109/IPPS.1995.395911

AbstractPlus | Full Text: PDF(856 KB) IEEE CNF
Rights and Permissions

Γ 5. **In the beginning [mathematics courses]**
Kelly, A.J.;
Compcon Spring '90. 'Intellectual Leverage'. Digest of Papers. Thirty-Fifth IEEE
Society International Conference.
26 Feb.-2 March 1990 Page(s):598 - 599
Digital Object Identifier 10.1109/CMPCON.1990.63745

AbstractPlus | Full Text: PDF(196 KB)   IEEE CNF
Rights and Permissions

6. **A system for extracting and representing feature information driven by th**
   context
   Falcidieno, B.; Giannini, F.;
   Robotics and Automation, 1990. Proceedings., 1990 IEEE International Confer
   13-18 May 1990 Page(s):1672 - 1678 vol.3
   Digital Object Identifier 10.1109/ROBOT.1990.126250

   AbstractPlus | Full Text: PDF(500 KB)   IEEE CNF
   Rights and Permissions

7. **Family care policy in the high-tech workplace: it's a good investment**
   Humble, J.E.; Hauth, A.;
   Technology Management : the New International Language, 1991
   27-31 Oct. 1991 Page(s):118
   Digital Object Identifier 10.1109/PICMET.1991.183589

   AbstractPlus | Full Text: PDF(56 KB)   IEEE CNF
   Rights and Permissions

Application Number [　　　　　　　　] Submit

IDS Flag Clearance for Application 10717707

IDS Information

Content	Mailroom Date	Entry Number	IDS Review	Last Modified	Reviewer
WIDS	2006-10-18	45	Y ☑	2007-06-05 12:00:06.0	CR #235743
WIDS	2003-11-21	13	Y ☑	2007-05-09 00:00:00.0	CR #232884
WIDS	2004-08-12	11	Y ☑	2007-05-09 00:00:00.0	CR #232884
Update					

WEST Search History

DATE: Monday, June 18, 2007

Hide?	Set Name	Query	Hit Count
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
⌐	L71	L70 and l54	9
⌐	L70	5838965 .uref.	75
⌐	L69	L68 and (relationship$3 near5 parent$1)	2
⌐	L68	L67 and (display$3 near5 hierarchical)	4
⌐	L67	L66 and (parent nea5 class) and (child near5 class)	10
⌐	L66	L54 and (parent near5 instance$1) and (child near5 instance$1)	87
⌐	L65	L64 and (first near5 area)	1
⌐	L64	l54 and (parent near5 class$1) and (child near5 class$2)	83
⌐	L63	L62 and inhertance	0
⌐	L62	6212436.pn.	2
⌐	L61	L54 and inhertance	2
⌐	L60	L55 and inhertance	0
⌐	L59	L55 and (inhertance near5 relationship$1)	0
⌐	L58	L57 and (child near5 propert$3)	5
⌐	L57	L56 and (select$3 near5 display)	17
⌐	L56	L55 and (child near5 class)	32
⌐	L55	L54 and (propert$3 near5 class)	280
⌐	L54	(hierarchical and display$3 and structure and database$1) and @py<=2002	6665
⌐	L53	L51 and properties	8
⌐	L52	L51 and (display near5 area)	0
⌐	L51	L50 and (display$3 near5 child)	9
⌐	L50	L49 and (visual near5 basic)	29
⌐	L49	(display$3 near5 hierarchical) and (database$1 near5 structure) and @py<=2002	211
⌐	L48	(catalog$1 and hierarchical).ti. and @py<=2002	3
⌐	L47	(catalog$1 and hierarchical and display$3).ti. and @py<=2002	0
⌐	L46	L45 and propert$3	3
⌐	L45	L44 and (hierarchical near5 display$3)	16
⌐	L44	5644736.uref.	43
		DB=USPT; PLUR=YES; OP=ADJ	

☐	L43	US-5644736-A.did.	1
☐	L42	US-5644736-A.did.	1
		DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
☐	L41	L40 and child and propert$3	0
☐	L40	L38 and (select$3 near5 file$1)	12
☐	L39	L38 and (select$3 near5 file$1) and (child near5 class)	0
☐	L38	(display$3 and hierarchical and file$1).ti. and @py<=2002	34
☐	L37	(display$3 and hierarchical and car$1).ti. and @py<=2002	2
☐	L36	(display$3 and hierarchical and product$1).ti. and @py<=2002	3
☐	L35	L34 and product$1	1
☐	L34	L7 and directory	12
☐	L33	L32 and (overlap$3 near5 object$1) and display$3 and memory	0
☐	L32	(hierarchical and display$3 and object$1).ti. and @py<=2003	23
☐	L31	(display$3 near5 hierarchical) and (display$3 near5 parent) and (display$3 near5 child) and (display$3 near5 class) and database$1 and @py<=2003	8
☐	L30	(display$3 near5 hierarchical) and (display$3 near5 parent) and (display$3 near5 child) and (display$3 near5 class) and database$1 and @py<=2002	6
☐	L29	(display$3 near5 vehicle$1) and (display$3 near5 hierarchical) and database$1 and class$2 and object$1 and @py<=2002	4
☐	L28	(display$3 near5 model$1) and (display$3 near5 hierarchical) and (display$3 near5 class) and (display$3 near5 child) and database$1 and @py<=2002	1
☐	L27	(display$3 near5 car$1) and (display$3 near5 hierarchical) and (display$3 near5 class) and (display$3 near5 child) and database$1 and @py<=2002	0
☐	L26	(display$3 near5 automobile$1) and (display$3 near5 hierarchical) and (display$3 near5 class) and (display$3 near5 child) and database$1 and @py<=2002	0
☐	L25	(display$3 near5 product$1) and (display$3 near5 hierarchical) and (display$3 near5 class) and (display$3 near5 child) and database$1 and @py<=2002	2
☐	L24	L23 and (display$3 near5 propert$3)	7
☐	L23	(display$3 near5 hierarchical) and (display$3 near5 child) and (display$3 near5 relationship) and database$1 and @py<=2002	46
☐	L22	L20 and product$1 and relationship$1	0
☐	L21	L20 and product$1 and class$2 and relationship$1	0
☐	L20	(hierarchical and database$1 and display$3).ti. and @py<=2002	20
☐	L19	5553211.uref.	13
☐	L18	(first near5 area) and (second near5 area) and (display$3 near5 class$2) and (display$3 near5 hierarchical) and (display$3 near5 relationship$1) and @py<=2002	1
☐	L17	L16 and (display$3 near5 child)	1
☐	L16	L7 and (display$3 near5 object$1)	14
☐	L15	L7 and (display$3 near5 class)	1

⌐	L14	(display$3 and hierarchical and structure and database$1).ti. and @py<=2002	3
⌐	L13	L7 and (object near5 database$1)	1
⌐	L12	L11 and class$2 and properties	2
⌐	L11	L10 and (display$3 near5 hierarchical)	33
⌐	L10	5295243.uref.	112
⌐	L9	L7 and (multiple near5 display$3)	4
⌐	L8	L7 and (display$3 same (child near5 class))	0
⌐	L7	(display$3 and hierarchical and structure).ti. and @py<=2002	142
⌐	L6	L2 and (child near5 class)	1
⌐	L5	L3 and property and class$2 and display$3 and gui	0
⌐	L4	L3 and (property near5 display$3)	0
⌐	L3	L2 and (memory same storage)	11
⌐	L2	(hierarchical structure display) and @py<=2002	73
⌐	L1	(display$3 and hierarchical and database$1 and structure$1 and class$2 and node$1).ti,ab. and @py<=2002	1

END OF SEARCH HISTORY

PALM INTRANET

Inventor Information for 10/717707

Inventor Name	City	State/Country
MINAMINO, NORIKO	TOKYO	JAPAN
MIZOGUCHI, YUMIKO	KANAGAWA-KEN	JAPAN
MURAYAMA, HIROSHI	KANAGAWA-KEN	JAPAN

| Appln Info | Contents | Petition Info | Atty/Agent Info | Continuity/Reexam | Foreign [|

Search Another: Application# [_____] Search | **or Patent#** [_____] Search |

PCT / [_____] / [_____] Search | **or PG PUBS #** [_____] Search |

Attorney Docket # [_____] Search |

Bar Code # [_____] Search |

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page